



CATALOGUE)

() LOSDI CLOSE TO YOU

LOSDI is a Spanish manufacturer of products for industrial hygiene with over 28 years of experience in the sector since it began in 1995.

Its main functions are the design, manufacture and commercialisation of an extensive range of products for communities, all with their own designs and aligned with market requirements.

Our objective is to improve health and well-being in society, making hygiene accessible at any time and in any place, with a sustainable and responsible production model based on the design, differentiation and functionality of soap dispensers, paper towel dispensers, hand dryers and other hygiene accessories.

www.losdi.com

Contents —

ABOUT US		
Introduction	Page	4
History	Page	5
Company	Page	6
Sustainability	Page	7

PRODUCTS


ECO-LUXE	Page	10
New products	Page	11
Soap dispensers	Page	13
Toilet paper dispensers	Page	18
Paper towel dispensers	Page	21
Centerfeed paper dispensers	Page	23
ELEGANCE	Page	25
Soap dispensers	Page	26
Toilet paper dispensers	Page	33
Paper towel dispensers	Page	36
Centerfeed paper dispensers	Page	38
Industrial roll dispensers	Page	42
STAR	Page	43
Soap dispensers	Page	44
Toilet paper dispensers	Page	48
Paper towel dispensers	Page	51
Centerfeed paper dispensers	Page	52

INOX	Page	54
Soap dispensers	Page	55
Toilet paper dispensers	Page	57
Paper towel dispensers	Page	59
HAND DRYERS	Page	61
Blinder	Page	62
Elegance	Page	64
INSECMATIC	Page	66
Air fresheners and insecticides	Page	67
Electric insect killers	Page	69
ACCESORIES	Page	77
Hair dryers	Page	78
Toilet paper holders	Page	80
Soap and gel holders	Page	81
Bins	Page	82
Pedal bins	Page	84
Handrails	Page	86

Leadership and quality guarantee **CLOSE TO YOU**

LOSDI consolidates its brand and extensive business experience in the sector, committed to and leading based on quality, innovation and cutting-edge technology. With an extensive and carefully selected range of products, LOSDI is placed as a reference in design, distinguished from its competition and complemented by characteristics and materials with maximum functionality.

LOSDI works CLOSE TO YOU. Close to the professional, providing a quality service with the best guarantees, and close to the end client, with a quality product, innovative design and absolute practicality.



	1995	Primicias Técnicas Cardi S.L. is born
The OCÉANO line is released on the market	1998	
	2000	Launch of the CJ1006 soap dispenser
Transfer to the current warehouse and launch of the ELEGANCE line	2002	
	2004	Expansion of the catalogue with the BACTEROMARIC line
We obtain the ISO 9001 certification		
	2010	First participation in ISSA INTERCLEAN AMSTERDAM
Launch of the hand dryer CS200 and the CJ1005 automatic dispenser	2011	
	2012	First participation in HYGIENALIA+PULIRE
The STAR line is created		
	2017	Rebranding and first participation in ISSA PULIRE VERONA
Launch of the ECO-LUXE line	2019	Sustainable commitment is consolidated
Use of 10006 regulad plastic	2020	with the SDGs
Use of 100% recycled plastic and registration of Carbon Footprint	2022	Launch of matt black ECO-LUXE line,
We obtain the ISO 14001 certification		compact autocut dispenser and the modular soap dispenser

Values

Innovation and quality technology, respect for the environment and international projection.

The LOSDI team strives to offer the best connections and guarantees between the company and its clients, responding to the needs of each specific case.

A commitment to deliver is generated in orders and excellent after-sales service is offered to the client. To be able to guarantee all of these aspects, we take into account the best efficacy of deliveries, focused on the retail channel, generating a good relationship between clients, as well as the guarantees and specifications offered in each LOSDI product.

Clients

The main LOSDI clients are manufacturers of paper and forest products, chemical manufacturers, paper converters, warehouse operators, interior design and catering companies, distributors of business materials and equipment, distributors of office materials, and communities, among others.

Markets

Today, LOSDI is present in over 45 countries thanks to the quality and constant innovation of its products. From our production centre, located in the province of Alicante, we design, manufacture and distribute all our products to countries in Europe, Africa, America and the Middle East.

Following the maxim "think globally, act locally", we aim to satisfy the different needs of our clients located in different countries, seeking the maximum adaptability of our dispensers to the different consumable variants with which they are used.

Quality and Environment

LOSDI has an integrated Quality and Environmental Management System, in accordance with the UNE EN ISO 9001:2015 and 14001:2015 standards, with the aim of guaranteeing our clients' satisfaction while taking care of the environment, reducing environmental risks. This system is certified by Bureau Veritas, an accredited certification entity, ensuring compliance with the legal regulations and requirements applicable to our products and services.



Our commitment to the climate is to reduce our environmental footprint; therefore, since 2020 we have annually applied a CO2 emissions reduction plan and have registered our Carbon Footprint and CO2 offset and absorption projects of the Ministry for ecological transition and demographic challenge.

Corporate Social Responsibility

Furthermore, we work with other sustainability projects that we communicate annually in our **Corporate Responsibility Report**, which you can find on our website www.LOSDI.com.





SUSTAINABLE GALS DEVELOPMENT GALS

Since we began, at LOSDI we have always shown a special interest in integrating our company into society in a sustainable way. We therefore go a step further and subscribe to achievement of the **Sustainable Development Goals (SDG) of the 2030 Agenda of the UN**, defining a long but rewarding path toward building a better world.

The SDGs are an initiative driven by the UN, intending to address vital issues for optimal development of the planet, such as climate change, economic inequality, innovation, sustainable consumption, peace and justice.

LOSDI subscribes to this Global Compact to demonstrate its responsibility, and since 2021 we have decided to take specific actions in our organisation and to contribute by aligning ourselves with the following objectives:



SDG 3: Developing a training plan for the well-being and health of our employees (emotional management, time management, stress reduction, etc.).



SDG 8: Maintaining our quality management system, certified under the ISO 9001:2015 standard, from which we establish annual objectives based on compliance with our Quality and Social Responsibility Policy.



SDG 9: Development and design, transforming our products and processes with sustainable criteria (environmental criteria, proximity, raw materials and efficiency of resources).



SDG 12: Reduction of consumption in production (use of recycled plastic, reduction of packaging, application of environmental criteria to subcontractors and suppliers, etc.).



SDG 13: CO2 emissions reduction plan as a commitment to our Carbon Footprint and its registration, CO2 offset and absorption projects of the Ministry for ecological transition and demographic challenge (since 2020).

Our lines encompass all types of characteristics for resolving the technical and aesthetic needs of our clients; from more economical ranges that do not disregard elegance and resistance, to high range, premium products. Everything depends on the tastes of the consumer.

ECO-LUXE Regular

ELEGANCE

STAR

INOX

HAND DRYERS

INSECMATIC

ACCESSORIES



A line accessible for everyone


Environmentally friendly, being manufactured with 100% recycled plastic and with a minimalist design, maximum functionality and economical price, this range has all options for dispensing.



MODULAR SOAP DISPENSER

ECO-DESIGN: 12 FUNCTIONS - 1 SINGLE PRODUCT

Maximum modular versatility: manual or automatic. Combinable with three different consumables: refillable bottle, collapsible bottle or bag. Also compatible with different dosings of soap: liquid, foam or spray, thereby adapting to the needs of any consumer without changing dispenser.



NEW PRODUCTS —

ECO-LUXE

AUTOCUT PAPER TOWEL DISPENSER

The new paper towel roll dispenser with autocut system from the ECO-LUXE line has a very compact design and allows easy, effective and sustainable hand drying thanks to the perfectly optimised and compatible internal mechanism.



AUTOCUT DISPENSERS AVAILABLE





SOAP DISPENSERS CJ-3003

Made entirely of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces, and a window on the body for viewing the consumable inside. It has a standard LOSDI security key, supplied with the product.









Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-3003-B	1.000 ml.	210 x 112 x 105	White recycled plastic	Refillable	Liquid soap	1 ml.	10	490
CJ-3003-BL	1.000 ml.	210 x 112 x 105	Black recycled plastic	Refillable	Liquid soap	1 ml.	10	490
CJ-3003-MT	1.000 ml.	210 x 112 x 105	Matt black recycled plastic	Refillable	Liquid soap	1 ml.	10	490

SOAP DISPENSERS MANUAL MODULAR CJ-3013 / CJ-3014 / CJ-3015 / CJ-3020

Made of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces. Its **modular system simplifies the replacement of components**. It has a **vertical valve** with a **reinforced system**. Its window protects and allows the level of consumable to be seen.

(NEW)









Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-3013-B/BL/MT	1.100 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Refillable	Liquid soap	1 ml.	10	420
CJ-3014-B/BL/MT	1.100 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Refillable	Foam soap	0,4 ml.	10	420
CJ-3015-B/BL/MT	1.100 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Refillable	Spray	1 ml.	10	420
CJ-3020-B/BL/MT	900 / 1.000 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Loads	Liquid soap Foam soap Spray	1 ml. / 0,4 ml. / 1 ml.	10	420

SOAP DISPENSERS AUTOMATIC MODULAR CJ-3113 / CJ-3114 / CJ-3115 / CJ-3120

Made of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces. Its **modular system simplifies the replacement of components**. It has a **vertical valve** with a **reinforced system**, **its battery life** also **lasting 9 months**. Its window protects and allows the level of consumable to be seen.

(NEW)







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-3113-B/BL/MT	1.000 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Refillable	Liquid soap	1 ml.	10	420
CJ-3114-B/BL/MT	1.000 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Refillable	Foam soap	0,4 ml.	10	420
CJ-3115-B/BL/MT	1.000 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Refillable	Spray	1 ml.	10	420
CJ-3120-B/BL/MT	900 / 1.000 ml.	233 x 120 x 113	White, black and matt black recycled plastic	Loads	Liquid soap Foam soap Spray	1 ml. / 0,4 ml. / 1 ml.	10	420

SOAP LOADS BAGS CB-313 / CB-314 / CB-315

Ideal for cleaning and hygiene of skin and hair. In gel format and with great cleaning ability, its dermatological components work to avoid the occurrence of skin conditions, keeping it soft and perfumed. With moisturising compounds for the epithelial layer which guarantee perfect protection.

Hydroalcoholic lotion for disinfecting hands without rinsing. Great disinfecting power and unperfumed, making it especially suitable for medical services and hospital centres.







Reference	Capacity	System	Dosage	Information	Ph	Density (20 ⁰)	Viscosity	Packaging	Pallet units
CB-313	900 ml.	Available for CJ-3020 and CJ-3120	1 ml.	Liquid soap	6,5 +/- 0,5 (%)	1,01 +/- 0,01 grs/cc.	5000 cPs aprox 20°C	6	504
CB-314	900 ml.	Available for CJ-3020 and CJ-3120	0,4 ml.	Foam soap	6,0 +/- 0,5 (%)	1,015 +/- 0,005 grs/cc.	5000 cPs aprox 20°C	6	504
CB-315	900 ml.	Available for CJ-3020 and CJ-3120	1 ml.	Hydroalcoholic gel spray	7,0	0,87 grs/cc.	-	6	504

Ideal for cleaning and hygiene of skin and hair. In gel format and with great cleaning ability, its dermatological components work to avoid the occurrence of skin conditions, keeping it soft and perfumed. With moisturising compounds for the epithelial layer which guarantee perfect protection.

Hydroalcoholic lotion for disinfecting hands without rinsing. Great disinfecting power and unperfumed, making it especially suitable for medical services and hospital centres.







Reference	Capacity	System	Dosage	Information	Ph	Density (20 ⁰)	Viscosity	Packaging	Pallet units
CB-323	1.000 ml.	Available for CJ-3020 and CJ-3120	1 ml.	Liquid soap	6,5 +/- 0,5 (%)	1,01 +/- 0,01 grs/cc.	5000 cPs aprox 20°C	6	300
CB-324	1.000 ml.	Available for CJ-3020 and CJ-3120	0,4 ml.	Foam soap	6,0 +/- 0,5 (%)	1,015 +/- 0,005 grs/cc.	5000 cPs aprox 20°C	6	300
CB-325	1.000 ml.	Available for CJ-3020 and CJ-3120	1 ml.	Hydroalcoholic gel spray	7,0	0,87 grs/cc.	-	6	300

TOILET PAPER DISPENSERSCONTROLLED DISPENSING CP-3000

Made of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces for a pleasant appearance and touch. It has a **central controlled dispensing system**. It has a standard LOSDI security key, supplied with the product.









Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-3000-B	Central extraction	190 mm $<$ Ø $<$ 208 mm. Height 110 mm. Service length 250-300 mm	253 x 253 x 121	White recycled plastic	Controlled dispensing	6	162
CP-3000-BL	Central extraction	190 mm $<$ Ø $<$ 208 mm. Height 110 mm. Service length 250-300 mm	253 x 253 x 121	Black recycled plastic	Controlled dispensing	6	162
CP-3000-MT	Central extraction	190 mm $<$ Ø $<$ 208 mm. Height 110 mm. Service length 250-300 mm	253 x 253 x 121	Matt black recy- cled plastic	Controlled dispensing	6	162

TOILET PAPER DISPENSERSJUMBO CP-3006

Made of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces for a pleasant appearance and touch. It has **capacity for jumbo size rolls**. It has a standard LOSDI security key, supplied with the product.







Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-3006-B	Ø 45 mm Adaptable	Ø max. 220 mm. Max. height 100 mm.	274 x 270 x 115	White recycled plastic	6	144
CP-3006-BL	Ø 45 mm Adaptable	Ø max. 220 mm. Max. height 100 mm.	274 x 270 x 115	Black recycled plastic	6	144
CP-3006-MT	Ø 45 mm Adaptable	Ø max. 220 mm. Max. height 100 mm.	274 x 270 x 115	Matt black recycled plastic	6	144

TOILET PAPER DISPENSERSMAXI JUMBO CP-3007

Made of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces for a pleasant appearance and touch. It has **capacity for maxi jumbo size rolls**. It has a standard LOSDI security key, supplied with the product.







Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-3007-B	Ø 56 mm Adaptable	Ø max. 270 mm. Max. height 110 mm.	332 x 325 x 120	White recycled plastic	6	108
CP-3007-BL	Ø 56 mm Adaptable	Ø max. 270 mm. Max. height 110 mm.	332 x 325 x 120	Black recycled plastic	6	108
CP-3007-MT	Ø 56 mm Adaptable	Ø max. 270 mm. Max. height 110 mm.	332 x 325 x 120	Matt black recycled plastic	6	108

PAPER TOWEL DISPENSERS CP-3009

Made of **100% recycled plastic**, it has an eye-catching design that combines smooth and rough surfaces for a pleasant appearance and touch. **Large capacity** paper towel dispenser, **600 services**. It has a standard LOSDI security key, supplied with the product.







Reference	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-3009-B	600 units Max. paper 110 x 240 mm.	360 x 271 x 131	White recycled plastic	8	96
CP-3009-BL	600 units Max. paper 110 x 240 mm.	360 x 271 x 131	Black recycled plastic	8	96
CP-3009-MT	600 units Max. paper 110 x 240 mm.	360 x 271 x 131	Matt black recycled plastic	8	96

PAPER TOWEL DISPENSERS AUTOCUT CP-3525

Made from 100% recycled plastic, it has a perfect operation with light pulling, heavy pulling and even wet hands thanks to its internal mechanism. Being **compact**, it adapts to any space. It has a lateral window to see the paper level and a standard LOSDI security key, supplied with the product.

(NEW)







Reference	Cannula	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-3525-B	Ø 36 mm.	Ø max. 205 mm. Width 200 - 210 mm.	378 x 280 x 229	White recycled plastic	1	54
CP-3525-BL	Ø 36 mm.	Ø max. 205 mm. Width 200 - 210 mm.	378 x 280 x 229	Black recycled plastic	1	54
CP-3525-MT	Ø 36 mm.	Ø max. 205 mm. Width 200 - 210 mm.	378 x 280 x 229	Matt black recycled plastic	1	54

CENTERFEED PAPER DISPENSERS CP-3010

This dispenser is made entirely of **100% recycled plastic**. With an eye-catching design that combines smooth and rough surfaces for a pleasant appearance and touch, it is able to hold rolls of paper for central extraction. It has a standard LOSDI security key, supplied with the product.







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-3010-B	Ø max. 210 mm. Max. height 210 - 220 mm.	310 x 220 x 220	White recycled plastic	Continuous dispensing	1	75
CP-3010-BL	Ø max. 210 mm. Max. height 210 - 220 mm.	310 x 220 x 220	Black recycled plastic	Continuous dispensing	1	75
CP-3010-MT	Ø max. 210 mm. Max. height 210 - 220 mm.	310 x 220 x 220	Matt black recycled plastic	Continuous dispensing	1	75

CENTERFEED PAPER DISPENSERSCONTROLLED DISPENSING CP-3011

This dispenser is made entirely of **100% recycled plastic**. With an eye-catching design that combines smooth and rough surfaces for a pleasant appearance and touch, it is able to hold rolls of paper for central extraction and has a **controlled dispensing system**. It has a standard LOSDI security key, supplied with the product.










Reference	Capacity	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-3011-B	Ø max. 210 mm. Max. height 210 - 220 mm.	310 x 220 x 220	White recycled plastic	Controlled dispensing	1	75
CP-3011-BL	Ø max. 210 mm. Max. height 210 - 220 mm.	310 x 220 x 220	Black recycled plastic	Controlled dispensing	1	75
CP-3011-MT	Ø max. 210 mm. Max. height 210 - 220 mm.	310 x 220 x 220	Matt black recycled plastic	Controlled dispensing	1	75

A traditional line

With over 35 references, it is without doubt the broadest in the sector. Robust and with extensive experience on the market, it is ideal for users prioritising quality and functionality, which has led to its years of presence and use in all types of environments.



SOAP DISPENSERS CJ-1006 / CJ-1007

Made from **ABS**, it is a compact, robust soap dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. It has different finishes and a versatile design that adapts to any space. It has a standard LOSDI security key, supplied with the product.













Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1006-B	1.000 ml.	225 x 112 x 90	White ABS	Refillable	Liquid soap	1 ml.	12	360
CJ-1006	1.000 ml.	225 x 112 x 90	Transparent and white ABS	Refillable	Liquid soap	1 ml.	12	360
CJ-1007	1.000 ml.	225 x 112 x 90	Transparent and chromed ABS	Refillable	Liquid soap	1 ml.	12	360
CJ-1006-C-BL	1.000 ml.	225 x 112 x 90	Black ABS	Refillable	Liquid soap	1 ml.	12	360
CJ-1006-CG	1.000 ml.	225 x 112 x 90	Silver ABS	Refillable	Liquid soap	1 ml.	12	360

SOAP DISPENSERS CJ-1003

Made from **ABS**, it is a compact, robust soap dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. Contains a **bottle for liquid soap or hydroalcoholic gel**. It has a standard LOSDI security key, supplied with the product.









Liquid soap or hydroalcoholic gel

Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1003	900 ml.	250 x 126 x 107	White ABS	Refillable	Liquid soap	1 ml.	12	288
CJ-1003-C-BL	900 ml.	250 x 126 x 107	Black ABS	Refillable	Liquid soap	1 ml.	12	288
CJ-1003-CG	900 ml.	250 x 126 x 107	Silver ABS	Refillable	Liquid soap	1 ml.	12	288

SOAP DISPENSERS CJ-1004

Made from **ABS**, it is a compact, robust soap dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. Soap dispenser with **bottle for foam soap**. It has a standard LOSDI security key, supplied with the product.









Foam soap

Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1004	900 ml.	250 x 126 x 116	White ABS	Refillable	Foam soap	0,4 ml.	12	288
CJ-1004-C-BL	900 ml.	250 x 126 x 116	Black ABS	Refillable	Foam soap	0,4 ml.	12	288
CJ-1004-CG	900 ml.	250 x 126 x 116	Silver ABS	Refillable	Foam soap	0,4 ml.	12	288

SOAP DISPENSERS CJ-1004-C

Made from **ABS**, it is a compact, robust soap dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. Works with **loads** for **liquid and foam soap (CB-413 and CB-414)**. It has a standard LOSDI security key, supplied with the product.









Liquid and foam soap

Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1004-C-B	900 ml.	250 x 126 x 116	White ABS	Loads	Liquid or foam soap	1 / 0,4 ml.	12	288
CJ-1004-C-C-BL	900 ml.	250 x 126 x 116	Black ABS	Loads	Liquid or foam soap	1 / 0,4 ml.	12	288
CJ-1004-C-CG	900 ml.	250 x 126 x 116	Silver ABS	Loads	Liquid or foam soap	1 / 0,4 ml.	12	288

SOAP DISPENSERSAUTOMATIC CJ-1005

Made from **ABS**, it is a compact, robust soap dispenser with tamper-proof characteristics. Contains a **bottle for liquid soap or hydroalcoholic gel**. It has an automatic system with **4 LR6 AA batteries and an anti-drip valve** operated with an infrared proximity switch. It has a standard LOSDI security key, supplied with the product.



Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1005	900 ml.	250 x 126 x 107	White ABS	Refillable	Liquid soap	1 ml	12	288

SOAP LOADS — BAGS CB-413 / CB-414

Ideal for cleaning and hygiene of skin and hair. Presented in gel format with a great cleaning ability, it has dermatological components that work to avoid the occurrence of skin conditions, keeping it soft and perfumed. Contains moisturising compounds for the epithelial layer which guarantee perfect protection.





Reference	Capacity	System	Dosage	Information	Ph	Density (20 ⁰)	Viscosity	Packaging	Pallet units
CB-413	750 ml.	Available for CJ-1004-C	1 ml.	Liquid soap	6,5 +/- 0,5 (%)	1,01 +/- 0,01 grs/cc.	5000 cPs aprox 20°C	6	504
CB-414	750 ml.	Available for CJ-1004-C	0,4 ml.	Foam soap	6,0 +/- 0,5 (%)	1,015 +/- 0,005 grs/cc.	5000 cPs aprox 20°C	6	504

TOILET PAPER DISPENSERS INTERFOLDED PAPER CP-0201

Made from **ABS**, it is a compact, robust dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. **Interfolded paper in 'Z' format** with a versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.

CP-0201-B







Reference	Capacity	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-0201-B	500 units	Width 100-110 mm.	290 x 140 x 140	White ABS	1	204
CP-0201	500 units	Width 100-110 mm.	290 x 140 x 140	Transparent ABS	1	204
CP-0201-BL	500 units	Width 100-110 mm.	290 x 140 x 140	Black ABS	1	204

TOILET PAPER DISPENSERS JUMBO CP-0204

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. **Jumbo** toilet paper dispenser with a versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.









Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-0204-B	Ø min. 45 mm (Adaptable)	Ø max. 220 mm Max height 110 mm.	290 x 268 x 130	White ABS	6	108
CP-0204	Ø min. 45 mm (Adaptable)	Ø max. 220 mm Max height 110 mm.	290 x 268 x 130	Transparent ABS	6	108
CP-0204-C-BL	Ø min. 45 mm (Adaptable)	Ø max. 220 mm Max height 110 mm.	290 x 268 x 130	Black ABS	6	108
CP-0204-CG	Ø min. 45 mm (Adaptable)	Ø max. 220 mm Max height 110 mm.	290 x 268 x 130	Silver ABS	6	108

TOILET PAPER DISPENSERSMAXI JUMBO CP-0205

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. **Maxi Jumbo** toilet paper dispenser with a versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.









Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-0205-B	Ø min. 56 / 72 mm (Adaptable)	Ø max. 270 mm Max height 110 mm.	313 x 313 x 135	White ABS	6	126
CP-0205	Ø min. 56 / 72 mm (Adaptable)	Ø max. 270 mm Max height 110 mm.	313 x 313 x 135	Transparent ABS	6	126
CP-0205-C-BL	Ø min. 56 / 72 mm (Adaptable)	Ø max. 270 mm Max height 110 mm.	313 x 313 x 135	Black ABS	6	126
CP-0205-CG	Ø min. 56 / 72 mm (Adaptable)	Ø max. 270 mm Max height 110 mm.	313 x 313 x 135	Silver ABS	6	126

TOWEL PAPER DISPENSERS CP-0106

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit. With a versatile design that adapts to any space. It has a standard LOSDI security key, supplied with the product.









Reference	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-0106-B	600 units Max paper 110 x 240 mm.	375 x 285 x 135	White ABS	8	96
CP-0106	600 units Max paper 110 x 240 mm.	375 x 285 x 135	Transparent ABS	8	96
CP-0106-C-BL	600 units Max paper 110 x 240 mm.	375 x 285 x 135	Black ABS	8	96
CP-0106-CG	600 units Max paper 110 x 240 mm.	375 x 285 x 135	Silver ABS	8	96

TOWEL PAPER DISPENSERSAUTOCUT CP-1525

Made from **ABS**, it has a **perfect operation with light pulling, heavy pulling and even wet hands** thanks to its internal mechanism. Being **compact**, it adapts to any space. Lateral windows for seeing the paper level and a standard LOSDI security key, supplied with the product.

(NEW)





Reference	Cannula	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-1525-B	Ø 36 mm.	Ø max. 205 mm. Width 200 - 210 mm.	378 x 280 x 229	White ABS	1	50
CP-1525-BL	Ø 36 mm.	Ø max. 205 mm. Width 200 - 210 mm.	378 x 280 x 229	Black ABS	1	50

CENTERFEED PAPER DISPENSERS - CP-0520 / CP-0521

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit, it is able to hold rolls of paper for central extraction. It has a standard LOSDI security key, supplied with the product.









Reference	Capacity	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-0521-B	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	White ABS	Continuous dispensing	1	75
CP-0520	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	Transparent ABS	Continuous dispensing	1	75
CP-0521-C-BL	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	Black ABS	Continuous dispensing	1	75
CP-0521-CG	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	Silver ABS	Continuous dispensing	1	75

CENTERFEED PAPER DISPENSERS CONTROLLED DISPENSING CP-0520-E / CP-0521-E

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit, it is able to hold rolls of paper for central extraction and has a **controlled dispensing system**. It has a standard LOSDI security key, supplied with the product.



CP-0521-B-E









Reference	Capacity	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-0521-B-E	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	White ABS	Controlled dispensing	1	75
CP-0520-E	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	Transparent ABS	Controlled dispensing	1	75
CP-0521-C-BL-E	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	Black ABS	Controlled dispensing	1	75
CP-0521-CG-E	Ø max. 200-210 mm. Max height 210-220 mm.	365 x 255 x 240	Silver ABS	Controlled dispensing	1	75

CENTERFEED PAPER DISPENSERSMINI-DISPENSER CP-0528

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit, its compact design adapts to any space. It has a standard LOSDI security key, supplied with the product.





Reference	Capacity	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-0528-B	Ø max. 150 mm. Max height 210-220 mm.	335 x 180 x 170	White ABS	Continuous dispensing	1	132
CP-0528	Ø max. 150 mm. Max height 210-220 mm.	335 x 180 x 170	Transparent ABS	Continuous dispensing	1	132

CENTERFEED PAPER DISPENSERS —

MINI-DISPENSER: CONTROLLED DISPENSING CP-0528-E

Made from **ABS**, it is a very durable dispenser with tamper-proof characteristics. Ideal for toilets with high, intensive transit, its compact design adapts to any space. **Controlled dispensing system**. Allows **savings** of the **consumable**. It has a standard LOSDI security key, supplied with the product.









Reference	Capacity	Measurements (mm) H x W x D			Packaging	Pallet units
CP-0528-B-E	Ø max. 150 mm. Max height 210-220 mm.	335 x 180 x 170	White ABS	Controlled dispensing	1	132
CP-0528-E	Ø max. 210 mm. Max height 210-220 mm.	335 x 180 x 170	Transparent ABS	Controlled dispensing	1	132

INDUSTRIAL ROLL DISPENSERS

ELEGANCE

CP-0523-R

With a galvanised tube and epoxy lacquer, it is a compact and robust roll dispenser. It is usually used **wall-mounted**. High moisture resistance.









Measurements (mm) H x W x D Reference Cannula Material Pallet units Paper measurements Packaging Green epoxy lacquer Ø max. 420 mm. CP-0523-R Ø 20 mm. 400 x 420 x 380 Galvanised tube 58 Max height 325 mm. ABS cutting blade

INDUSTRIAL ROLL DISPENSERS CP-0524

Made with a galvanised tube and epoxy lacquer, it is a compact and robust roll dispenser. USE: for industrial rolls. Ground tripod. High moisture resistance.



Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-0524	Ø 20 mm.	Ø max. 480 mm. Max height 310 mm.	950 x 400 x 390	Green epoxy lacquer Galvanised tube ABS cutting blade	1	58




An unbreakable line

Made from polycarbonate, a highly resistant material that makes it practically unbreakable, its elegant and unique design captures attention due to its translucent housing, which allows the quantity of consumable available to be seen.

A premium line, for users seeking distinction.



Made from **polycarbonate**, it is an unbreakable and tamper-proof dispenser. Ideal for toilets with high, intensive transit, it has an **innovative design** that facilitates and **saves time in refilling the consumable** due to being **translucent**. Adapted for **liquid soap in bottle**. It has a standard LOSDI security key, supplied with the product.







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-5003-B	850 ml.	221 x 155 x 117	Polycarbonate	Refillable	Liquid soap	1 ml.	12	336
CJ-5003-BL	850 ml.	221 x 155 x 117	Polycarbonate	Refillable	Liquid soap	1 ml.	12	336

Made from **polycarbonate**, it is an unbreakable and tamper-proof dispenser. Ideal for toilets with high, intensive transit, it has an **innovative design** that facilitates and **saves time in refilling the consumable** due to being **translucent**. Adapted for **foam soap in bottle**. It has a standard LOSDI security key, supplied with the product.







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-5004-B	850 ml.	221 x 155 x 117	Polycarbonate	Refillable	Foam soap	0,4 ml.	12	336
CJ-5004-BL	850 ml.	221 x 155 x 117	Polycarbonate	Refillable	Foam soap	0,4 ml.	12	336

Made from **polycarbonate**, it is an unbreakable and tamper-proof dispenser. Ideal for toilets with high, intensive transit, it has an **innovative design** that facilitates and **saves time in refilling the consumable** due to being **translucent**. Compatible with **loads for liquid and foam soap (CB-513 and CB-514)**. It has a standard LOSDI security key, supplied with the product.







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-5005-B	750 ml.	221 x 155 x 117	Polycarbonate	Loads	Liquid or foam soap	0,4 ml. / 1 ml.	12	336
CJ-5005-BL	750 ml.	221 x 155 x 117	Polycarbonate	Loads	Liquid or foam soap	0,4 ml. / 1 ml.	12	336

SOAP LOADS — BAGS CB-513 / CB-514

Ideal for cleaning and hygiene of skin and hair. Presented in gel format with a great cleaning ability, it has dermatological components that work to avoid the occurrence of skin conditions, keeping it soft and perfumed. Contains moisturising compounds for the epithelial layer which guarantee perfect protection.





R	eference	Capacity	System	Dosage	Information	Ph	Density (20 ⁰)	Viscosity	Packaging	Pallet units
C	B-513	750 ml.	Available for CJ-5005	1 ml.	Liquid soap	6,5 +/- 0,5 (%)	1,01 +/- 0,01 grs/cc.	5000 cPs aprox 20°C	6	504
C	B-514	750 ml.	Available for CJ-5005	0,4 ml.	Foam soap	6,0 +/- 0,5 (%)	1,015 +/- 0,005 grs/cc.	5000 cPs aprox 20°C	6	504

TOILET PAPER DISPENSERSCONTROLLED DISPENSING CP-4000

Made from **polycarbonate**, it is an unbreakable and tamper-proof dispenser. Ideal for toilets with high, intensive transit, its innovative design facilitates and saves time in refilling due to being translucent. **Central controlled dispensing system**. It has a standard LOSDI security key, supplied with the product.







Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	System	Packaging	Pallet units
CP-4000-B	Central extraction	190 mm < Ø < 208 mm. Height 110 mm. Service length 250-300 mm.	284 x 284 x 170	Polycarbonate	Controlled dispensing	6	108
CP-4000-BL	Central extraction	190 mm < Ø < 208 mm. Altura 110 mm. Service length 250-300 mm.	284 x 284 x 170	Polycarbonate	Controlled dispensing	6	108

TOILET PAPER DISPENSERSJUMBO CP-5006

Made from **polycarbonate**, it is an unbreakable and tamper-proof dispenser. Ideal for toilets with high, intensive transit, its innovative design facilitates and saves time in refilling due to being translucent, and **its brake saves the consumable**. It has a standard LOSDI security key, supplied with the product.







Freno para el ahorro de consumible

Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-5006-B	Ø 45 mm	Ø max. 210 mm. Max height 110 mm.	253 x 253 x 151	Polycarbonate	6	108
CP-5006-BL	Ø 45 mm	Ø max. 210 mm. Max height 110 mm.	253 x 253 x 151	Polycarbonate	6	108

TOILET PAPER DISPENSERSMAXI JUMBO CP-5007

Made from **polycarbonate**, it is an unbreakable and tamper-proof dispenser. Ideal for toilets with high, intensive transit, its innovative design facilitates and saves time in refilling due to being translucent, and **its brake saves the consumable**. **It holds rolls of paper with a maximum diameter of 270mm**. It has a standard LOSDI security key, supplied with the product.







Brake for saving the consumable.

Reference	Cannula	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-5007-B	Ø 56 mm	Ø max. 270 mm. Max height 110 mm.	318 x 318 x 151	Polycarbonate	6	108
CP-5007-BL	Ø 56 mm	Ø max. 270 mm. Max height 110 mm.	318 x 318 x 151	Polycarbonate	6	108

PAPER TOWEL DISPENSERS — STA CP-5009

Made from **polycarbonate**, it is an unbreakable and tamperproof dispenser. Ideal for toilets with high, intensive transit, it has an innovative design that facilitates and saves time in refilling the consumable due to being translucent. It has a standard LOSDI security key, supplied with the product.





Reference	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CP-5009-B	600 units Max paper 110 x 240 mm.	374 x 325 x 146 mm	Polycarbonate	8	96
CP-5009-BL	600 unidades Max paper 110 x 240 mm.	374 x 325 x 146 mm	Polycarbonate	8	96

CENTERFEED PAPER DISPENSERS CP-5010

Made from **polycarbonate**, it is an unbreakable and tamperproof dispenser. Ideal for toilets with high, intensive transit, it has an innovative design that facilitates and saves time in refilling the consumable due to being translucent. It has a standard LOSDI security key, supplied with the product.





Reference	Capacity	Capacity Measurements (mm) Material H x W x D		System	Packaging	Pallet units
CP-5010-B	Ø max. 205 mm. Max height 245 mm.	350 x 267 x 237	Polycarbonate	Continuous dispensing	1	75
CP-5010-BL	Ø max. 205 mm. Max height 245 mm.	350 x 267 x 237	Polycarbonate	Continuous dispensing	1	75

CENTERFEED PAPER DISPENSERSDISPENSACIÓN CONTROLADA CP-5011

Made from **polycarbonate**, it is an unbreakable and tamperproof dispenser. Ideal for toilets with high, intensive transit, it has an innovative design that facilitates and saves time in refilling the consumable due to being translucent. It has a **restrictor part** that **allows controlled dispensing** of the consumable. It has a standard LOSDI security key, supplied with the product.








Reference	Capacity	Measurements (mm) Material H x W x D		System	Packaging	Pallet units
CP-5011-B	Ø max. 205 mm. Max height 245 mm.	350 x 267 x 237	Polycarbonate	Controlled dispensing	1	75
CP-5011-BL	Ø max. 205 mm. Max height 245 mm.	350 x 267 x 237	Polycarbonate	Controlled dispensing	1	75



A robust line

A line with great resistance and functionality. Elegant, due to their careful design with curved forms without edges, giving them a modern, distinguished appearance. Stainless steel dispensers are ideal for high traffic spaces such as hotels, restaurants and shopping centres, among others.





Made from **AISI 304 stainless steel**, it is a compact, robust soap dispenser with tamper-proof characteristics. With a **bottle for liquid soap or hydroalcoholic gel**, it prevents oxidation, and in turn, due to its versatile design, adapts to any space. It has a standard LOSDI security key, supplied with the product.







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1001-I	900 ml.	250 x 126 x 107	Bright stainless steel	Refillable	Liquid soap	1 ml.	12	360
CJ-1001-S	900 ml.	250 x 126 x 107	Satin stainless steel	Refillable	Liquid soap	1 ml.	12	360



Made from **AISI 304 stainless steel**, it is a compact, robust soap dispenser with tamper-proof characteristics. With a **bottle for liquid soap or hydroalcoholic gel**, it prevents oxidation, and in turn, due to its versatile design, adapts to any space. It has a standard LOSDI security key, supplied with the product.

CJ-1008-I





Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Dosage	Packaging	Pallet units
CJ-1008-I	700 ml.	160 x 105 x 90	Bright stainless steel	Refillable	Liquid soap	1 ml.	12	780
CJ-1008-S	700 ml.	160 x 105 x 90	Satin stainless steel	Refillable	Liquid soap	1 ml.	12	780

INOX

TOILET PAPER DISPENSERS CO-0202 / CP-0203

Made from **AISI 304 and 430 stainless steel**, it is a compact, robust dispenser with tamper-proof characteristics. The stainless steel prevents oxidation, and in turn, due to its versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.







Reference	Cannula	Capacity	Paper measurements	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CO-0202	Ø 45 mm	300m roll (2 layers)	Ø max. 240 mm. Max height 110 mm.	263 x 255 x 120	AISI 304 satin stainless steel	12	144
CO-0202-F	Ø 45 mm	300m roll (2 layers)	Ø max. 240 mm. Max height 110 mm.	263 x 255 x 120	AISI 304 satin stainless steel	12	144
CP-0203	Ø 45 mm	300m roll (2 layers)	Ø max. 240 mm. Max height 110 mm.	263 x 255 x 120	White epoxy galvanised steel	12	144

INOX

TOILET PAPER DISPENSERS CO-0207

Made from AISI 304 stainless steel, it is a compact, robust dispenser with tamper-proof characteristics. The stainless steel prevents oxidation, and in turn, due to its versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.





Reference	Cannula	Capacity	Capacity Paper measurements		Material	Packaging	Pallet units
CO-0207-I	Ø 45-56 mm.	300m roll (2 layers)	Ø max. 240 mm. Max height 110 mm.	283 x 278 x 130	AISI 304 bright stainless steel	12	144
CP-0207-S	Ø 45-56 mm.	300m roll (2 layers)	Ø max. 240 mm. Max height 110 mm.	283 x 278 x 130	AISI 304 bright stainless steel	12	144

INOX

PAPER TOWEL DISPENSERS CO-0104 / CP-0105

Made from **AISI 304 and 430 stainless steel**, it is a compact, robust dispenser with tamper-proof characteristics. The stainless steel prevents oxidation, and in turn, due to its versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.









Reference	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CO-0104	600 units Max paper 110 x 240 mm.	330 x 265 x 120 mm	AISI 304 satin stainless steel	8	96
CO-0104-F	600 units Max paper 110 x 240 mm.	330 x 265 x 120 mm	AISI 430 satin stainless steel	8	96
CP-0105	600 units Max paper 110 x 240 mm.	330 x 265 x 120 mm	White epoxy galvanised steel	8	96

PAPER TOWEL DISPENSERS CO-0107

INOX

Made from **AISI 304 stainless steel**, it is a compact, robust dispenser with tamper-proof characteristics. The stainless steel prevents oxidation, and in turn, due to its versatile design, it adapts to any space. It has a standard LOSDI security key, supplied with the product.






Reference	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CO-0107-I	600 units Max paper 110 x 240 mm.	375 x 290 x 135	AISI 304 bright stainless steel	8	96
CO-0107-S	600 units Max paper 110 x 240 mm.	375 x 290 x 135	AISI 304 satin stainless steel	8	96

HAND DRYERS

A technological line

Technology and innovation applied to hygiene have resulted in a line of hand dryers capable of adapting to all requirements and spaces. They guarantee quick, effective drying. The models with HEPA filter also provide maximum safety and hygiene in the atmosphere.



HAND DRYERS

CS-500

This model of hand dryer presents a compact, robust design with tamper-proof characteristics. Suitable for toilets with high, intensive transit. Maximum power and air flow. **10-15 second drying time**. Operates through activation of a proximity sensor. Certifications: CE and SGS.













Reference	Power in watts	Voltage	Frequency in Hertz	Air flow	Speed	Speed Measurements (mm) H x W x D		Class	Switch	Packaging	Pallet units
CS-500-X	2.500 W.	220 V.	50 Hz.	270 m³/h	108 km/h	241 x 267 x 203	White lacquered metal	Class I	Optical	4	48
CS-500-I/X	2.500 W.	220 V.	50 Hz.	270 m³/h	108 km/h	241 x 267 x 203	Bright steel	Class I	Optical	4	48
CS-500-S/X	2.500 W.	220 V.	50 Hz.	270 m³/h	108 km/h	241 x 267 x 203	Satin steel	Class I	Optical	4	48

BLINDER

HAND DRYERS HEPA FILTER CS-650

This model of hand dryer with **HEPA Filter** has a narrow air outlet which **blocks the passage of bacteria and viruses** with **99.99% effectiveness**, for safe hand drying. Its **Ecofriendly System** allows time and consumption savings thanks to a temperature sensor which deactivates the hot air mode from approximately 25°C. **10-15 second drying time**. Certifications: CE and SGS.









Reference	Power in watts	Voltage	Frequency in Hertz	Noise level	Air temperature	Air flow	Speed	Measurements (mm) H x W x D	Material	Class	Switch	Packaging	Pallet units
CS-650-X	1.200 - 1.450 W.	220 - 240 V.	50/60 Hz.	70 dB	20 - 40°C	123 m³/h	252 km/h	312 x 302 x 172	White lacquered metal	Class I	Optical	4	64
CS-650-I/X	1.200 - 1.450 W.	220 - 240 V.	50/60 Hz.	70 dB	20 - 40°C	123 m³/h	252 km/h	312 x 302 x 172	Bright stainless steel	Class I	Optical	4	64
CS-650-S/X	1.200 - 1.450 W.	220 - 240 V.	50/60 Hz.	70 dB	20 - 40°C	123 m³/h	252 km/h	312 x 302 x 172	Satin stainless steel	Class I	Optical	4	64

CS-200-X / CS-400-X

This model of hand dryer presents a compact, robust design with tamper-proof characteristics. Suitable for toilets with high, intensive transit. Maximum power and air flow. Different finishes: White or chrome ABS. Operates through activation of a proximity sensor. Certifications: CE and SGS.





Reference	Power in watts	Voltage	Frequency in Hertz	Noise level	Air temperature	Air flow	Speed	Measurements (mm) H x W x D	Material	Class	Switch	Packaging	Pallet units
CS-200-X	1.600 W.	220 V.	50/60 Hz.	62.3 dB	55°C	276 m³/h	75 km/h	308 x 230 x 150	White ABS	Class II	Optical	6	72
CS-400-I/X	1.600 W.	220 V.	50/60 Hz.	62.3 dB	55°C	276 m³/h	75 km/h	308 x 230 x 150	Chromed ABS	Class II	Optical	6	72

HAND DRYERS HEPA FILTER CS-700

This model of hand dryer with **HEPA Filter** has a narrow air outlet which blocks the passage of bacteria and viruses with **99.99% effectiveness**, for safe hand drying. Its **Ecofriendly System** allows time and consumption savings. **10-15 second** drying time. With a 1,000 ml. tank on the lower section for its proper maintenance. Certifications: CE and SGS.








Reference	Power in watts	Voltage	Frequency in Hertz	Noise level	Air temperature	Air flow	Speed	Measurements (mm) H x W x D	Material	Class	Switch	Packaging	Pallet units
CS-700-X	2.050 W.	220 - 240 V.	50/60 Hz.	76 dB	20 - 40°C	213 m³/h	95 km/h	685 x 300 x 220	White ABS	Class II	Optical	1	18
CS-700-G/X	2.050 W.	220 - 240 V.	50/60 Hz.	76 dB	20 - 40°C	213 m³/h	95 km/h	685 x 300 x 220	Silver ABS	Class II	Optical	1	18

INSECMATIC

Dispensers and insect exterminators

Keeping the atmosphere free of insects is a necessary hygienic measure in professional spaces such as kitchens, the food industry and catering. The LOSDI product range dedicated to this purpose provides all options available for adaptation to any professional requirement.



AIR FRESHENERS AND INSECTICIDES CL-401-T



Manufactured in high quality **polypropylene** and fibre, the digital air freshener dispenser for loads for perfuming atmospheres distributes the fragrance evenly. It has a power and low battery LED indicator. Programmable: hours, days and/or weekends **250 ml.** loads. It has a LOSDI security key, supplied with the product.

CL-401-T









Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Packaging	Pallet units
CL-401-T	-	240 x 108 x 100	Polypropylene and fibre	-	Digital screen – Interchangeable loads – Programmable: hours, days and/or weekends - Operation: 2 x LR20 AA batteries – Indicators: power and low battery	20	780
CB-405	250 ml.	140 x Ø 69 mm	-	Narrow valve	Aromas: Mango, Lemon, Lavender, Eternity, Tropical Fruit, Passion Fruit, Neoflower.	48	1440
CB-406*	250 ml.	140 x Ø 69 mm	-	Narrow valve	Natural pyrethrin	48	1440

^{*}Fly killer must not be applied with automatic continuous dosing dispensers

AIR FRESHENERS AND INSECTICIDES CL-403-T / CB-410

BACTEROMATIC

Manufactured in high quality **polypropylene** and fibre, the digital chemical dispenser has a power and low battery LED indicator. Programmable: hours, days and/or weekends Operates with **500 ml.** loads supplied by LOSDI (Ref. CB-410). It has a LOSDI security key, supplied with the product.

CL-403-T







Reference	Capacity	Measurements (mm) H x W x D	Material	System	Information	Packaging	Pallet units
CL-403-CL	-	240 x 108 x 100	Polypropylene and fibre	-	Digital screen – Interchangeable loads – Programmable: hours, days and/or weekends - Operation: 2 x LR20 AA batteries – Indicators: power and low battery	20	780
CB-410	250 ml.	140 x Ø 69 mm	-	Standard valve	Aromas: Exotic and Wild	6	648

ELECTRIC INSECT KILLER CI-3X15-L



The stainless steel body and grille make it a high quality, resistant electric insect killer, with a lower metallic tray. It has a switch and automatic voltage discharge. It incorporates **3 ultraviolet tubes** to attract insects, eliminating them when they come into contact with the electrically charged interior grille. Use: commercial-industrial. Application: industrial areas for food preparation with resistance to dust.

CI-3X15-L





With switch and automatic voltage discharge

Reference	Grid voltage	Voltage	Frequency in Hertz	Coverage area	Number of tubes	Power of the tubes	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CI-3x15-	L 2.500 W.	220 - 240 V.	50 Hz.	900 m²	3	15 W.	365 x 540 x 105	Stainless steel	6	60

DECREE LAW REGULATION 381-1984 (B0E 27-02-1984) Certified in accordance with Regulation EN 60335-1-59 / EN 60335-2-59 COMPLIANT WITH THE REQUIREMENTS OF THE FOLLOWING EUROPEAN STANDARDS: Standard EN 60335-59:97+A1:01+A11:00 (see also EN 60335-1:1994+A11:95+A1:96+A12:96+A13:98+A14:98+A2:00+A15:2000+A16:01) APPROVED BY THE LCOE (CENTRAL OFFICIAL ELECTROTECHNICAL LABORATORY).

ELECTRIC INSECT KILLER CI-2X15-L



The stainless steel body and grille make it a high quality, resistant electric insect killer, with a lower metallic tray. It has a switch and automatic voltage discharge. It incorporates **2 ultraviolet tubes** to attract insects, eliminating them when they come into contact with the electrically charged interior grille. Use: commercial-industrial. Application: industrial areas for food preparation with resistance to dust.

CI-2X15-L





With switch and automatic voltage discharge

Reference	Grid voltage	Voltage	Frequency in Hertz	Coverage area	Number of tubes	Power of the tubes	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CI-3x15-L	2.500 W.	220 - 240 V.	50 Hz.	780 m²	2	15 W.	310 x 510 x 70	Stainless steel	6	60

DECREE LAW REGULATION 381-1984 (BOE 27-02-1984) Certified in accordance with Regulation EN 60335-1-59 / EN 60335-2-59 COMPLIANT WITH THE REQUIREMENTS OF THE FOLLOWING EUROPEAN STANDARDS: Standard EN 60335-59:97 + A1:01 + A11:00 (see also EN 60335-1:1994 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A2:00 + A15:2000 + A16:01) APPROVED BY THE LCOE (CENTRAL OFFICIAL ELECTROTECHNICAL LABORATORY).

ELECTRIC INSECT KILLER CI-2X11-L



The stainless steel body and grille make it a high quality, resistant electronic insect killer, with a lower metallic tray. It has a switch and automatic voltage discharge. It incorporates **2 ultraviolet tubes** to attract insects, eliminating them when they come into contact with the electrically charged interior grille. Use: commercial-industrial. Application: industrial areas for food preparation with resistance to dust.

CI-2X11-L





With switch and automatic voltage discharge

Reference	Grid voltage	Voltage	Frequency in Hertz	Coverage area	Number of tubes	Power of the tubes	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CI-2x11-L	2.500 W.	220 - 240 V.	50 Hz.	400 m²	2	11 W.	310 x 283 x 72	Stainless steel	5	100

DECREE LAW REGULATION 381-1984 (BOE 27-02-1984) Certified in accordance with Regulation EN 60335-1-59 / EN 60335-2-59 COMPLIANT WITH THE REQUIREMENTS OF THE FOLLOWING EUROPEAN STANDARDS: Standard EN 60335-59:97 + A1:01 + A11:00 (see also EN 60335-1:1994 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A2:00 + A15:2000 + A16:01) APPROVED BY THE LCOE (CENTRAL OFFICIAL ELECTROTECHNICAL LABORATORY).

ELECTRIC INSECT KILLER CI-1X11-L



The stainless steel body and grille make it a high quality, resistant electronic insect killer, with a lower metallic tray. It has a switch and automatic voltage discharge. It incorporates **1 ultraviolet tube** to attract insects, eliminating them when they come into contact with the electrically charged interior grille. Use: commercial-industrial. Application: industrial areas for food preparation with resistance to dust.

CI-1X11-L





With switch and automatic voltage discharge

Reference	Grid voltage	Voltage	Frequency in Hertz	Coverage area	Number of tubes	Power of the tubes	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CI-1x11-L	2.500 W.	220 - 240 V.	50 Hz.	125 m²	1	11 W.	230 x 283 x 72	Stainless steel	5	120

DECREE LAW REGULATION 381-1984 (BOE 27-02-1984) Certified in accordance with Regulation EN 60335-1-59 / EN 60335-2-59 COMPLIANT WITH THE REQUIREMENTS OF THE FOLLOWING EUROPEAN STANDARDS: Standard EN 60335-59:97 + A1:01 + A11:00 (see also EN 60335-1:1994 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A2:00 + A15:2000 + A16:01) APPROVED BY THE LCOE (CENTRAL OFFICIAL ELECTROTECHNICAL LABORATORY).

INSECT KILLER WITH ADHESIVE CI-1X18-AD

INSECMATIC

High quality, resistant, **silent** insect killer with lacquered metal body. It has an **adhesive film** on the interior, **free of toxic products**. It incorporates **1 ultraviolet tube** to attract insects, eliminating them by immobilising them on the adhesive film. Use: Commercial-Industrial. Application: Industrial areas for food preparation and supermarkets, restaurants and kitchens. Film durability 1 month.






Reference	Voltage	Frequency in Hertz	Coverage area	Number of tubes	Power of the tubes	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CI-1x18-AD	220 - 240 V.	50 Hz.	60 m²	1	18 W.	155 x 465 x 185	White lacquered metal	6	72

ADHESIVE FILMS AD-1X18

Cardboard film with yellow adhesive, with a **solvent-free pressure sensitive adhesive glue, with a specific food attractant**. High resistance to UV light, which prevents the adhesive detaching and the loss of adhesion, and anti-dripping highly resistant to adverse environmental conditions. 1 side adhesive for all types of flying insects (houseflies, common house mosquitoes, drain flies, wasps, fruit flies, moths, etc.). CE certification.

AD-1X18



Reference	Film measurements	Adhesive measurements	Printed grid	Thickness	Standard blister	Packaging	Pallet units
AD-1x18	200 x 190 mm.	184 x 170 mm.	25 x 25 mm.	0,83 mm.	6 units	10 blisters	4.140 blisters
AD -1x18 (2)	200 x 100 mm.	180 x 80 mm.	25 x 25 mm.	0,83 mm.	6 units	10 blisters	8.360 blisters

INSECT KILLER WITH ADHESIVE CI-2X15-AD

INSECMATIC

High quality, resistant, **silent** insect killer with stainless steel body. It has an adhesive film on the interior, **free of toxic products**. It incorporates **2 ultraviolet tubes** to attract insects, eliminating them by immobilising them on the adhesive film. Use: Commercial-Industrial. Application: Industrial areas for food preparation and supermarkets, restaurants and kitchens. Film durability 1 month.

CI-2X15-AD



Reference	Voltage	Frequency in Hertz	Coverage area	Number of tubes	Power of the tubes	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CI-2x15-AD	220 - 230 V.	50/60 Hz.	100 m²	2	15 W.	176 x 480 x 354	Stainless steel	4	48

ADHESIVE FILMS AD-2X15

INSECMATIC

Cardboard film with yellow adhesive, with a solvent-free pressure sensitive adhesive glue, with a specific food attractant. High resistance to UV light, which prevents the adhesive detaching and the loss of adhesion, and anti-dripping highly resistant to adverse environmental conditions. 1 side adhesive for all types of flying insects (houseflies, common house mosquitoes, drain flies, wasps, fruit flies, moths, etc.). CE certification.

AD-2X15




Reference	Film measurements	Adhesive measurements	Printed grid	Thickness	Standard blister	Packaging	Pallet units
AD-2x15	450 x 310 mm.	410 x 270 mm.	25 x 25 mm.	0,83 mm.	6 units	10 blisters	1.300 blisters

ACCESSORIES

Hair dryers, bins, rails and supports.

LOSDI offers professionals a range of products dedicated to the adaptability of public spaces for people with reduced mobility, as well as other products that complement and help to guarantee complete hygiene and comfort in all public toilets.



ACCESSORIES

HAIR DRYERS CM-0321


Hair dryer made from **ABS**, a robust model ideal for toilets with high, intensive transit. Modern, functional design, it integrates into any space. Its **three position button** supplies warm-hot air and has **two speeds**. Use: Hotels, hospitals, gyms, sports centres and centres for the elderly, etc. It has a wall bracket for wall mounting and a narrow outlet diffuser. Certifications: CE



Reference	Max/min power	Voltage	Frequency in Hertz	Speed	Measurements (mm) H x W x D	Material	Class	Cable length	Packaging	Pallet units
CM-0321	1.200 / 250 W.	220 - 240 V.	50 Hz.	14 m/h	308 x 230 x 150	White ABS	Class II	0,5 m.	5	240

HAIR DRYERS CM-0322

Hair dryer made from **ABS**, a robust model ideal for toilets with high, intensive transit. Modern, functional design, it integrates into any space. Its **three position button** supplies warm-hot air and has **two speeds**. Use: Hotels, hospitals, gyms, sports centres and centres for the elderly, etc. It has a wall bracket for wall mounting and a narrow outlet diffuser. Certifications: CE



*Wall mounting included

Refere	ence Max/min power	r Voltage	Frequency in Hertz	Speed	Measurements (mm) H x W x D	Material	Class	Cable length	Packaging	Pallet units
CM-0	322 1.900 / 140 W	/. 220 - 240 V.	50 Hz.	14 m/h	308 x 230 x 150	Black ABS	Class II	0,5 m.	12	288

TOILET PAPER HOLDERS CO-0210-I / CO-0211-I

Individual domestic toilet paper holder, stainless steel. Wall mounted. Perfect accessory for bathrooms, suitable for the hotel sector.





Reference	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CO-0210-I	170 x 140 x 45	AISI 304 stainless steel	20	960
CO-0211-I	210 x 90 x 60	AISI 304 stainless steel	10	630

SOAP AND GEL HOLDERS — CJ-2000-I / CJ-2001-I / CJ-2002

Rectangular and triangular soap holder, with chrome finish. Wall mounted, a perfect accessory for bathrooms, suitable for the hotel sector.

Totem type holder for hydroalcoholic gel dispenser. Separate from the dispenser. **Perfect accessory for automatic dispenser**. Matt black polyester paint. 1.5 metre dispensing height.







Reference	Measurements (mm) H x W x D	Material	Packaging	Pallet units
CJ-2000-I	35 x 160 x 100	Chrome-plated brass	20	640
CJ-2001-I	80 x 190 x 190	Chrome-plated steel	20	320
CJ-2002	1.515 x 370 x 370	Steel and matt black polyester paint	1	40

BINS — MP-0558

Circular bin with metal lid painted in white or black epoxy. Design for a long lifespan. Free of burrs and sharp areas. Rubber base. Suitable for high transit areas.

MP-0558-BL






Reference	Capacity	Measurements (mm) H x W x D	Thickness	Material	Packaging	Pallet units
MP-0558-BL	24 L.	670 x Ø 212	1 mm.	Metal painted with white epoxy	9	36
MP-0558-NG	24 L.	670 x Ø 212	1 mm.	Metal painted with black epoxy	9	36

MP-0559 / MP-0562-E-09

Square bin with metal lid painted in white or black epoxy. Design for a long lifespan. Continuous line corners, free of burrs and sharp areas. Rubber base. Suitable for high transit areas.

Rectangular bin, metal painted in black epoxy. Smooth corners. Ideal for public places. Can be placed on the floor or hung using screws.





MP-0559-NG



MP-0562-E-09



Reference	Capacity	Measurements (mm) H x W x D	Thickness	Material	Packaging	Pallet units
MP-0559-BL	22 L.	670 x 190 x 190	1,1 mm.	Metal painted with white epoxy	10	40
MP-0559-NG	22 L.	670 x 190 x 190	1,1 mm.	Metal painted with black epoxy	10	40
MP-0562-E-09	9 L.	333 x 350 x 125	0,9 mm.	Metal painted with black epoxy	8	96

PEDAL BINS MP-0603 / MP-0605 / MP-0612

3, 5 and 12 L capacity AISI 304 stainless steel bins, with opening pedal and tilting lid. Polypropylene internal container, removable by handle. Handle on the rear exterior section for transport. Especially suitable for offices, toilets in high transit areas.





MP-0605-I MP-0605-S



MP-0612-I MP-0612-S



Reference	Capacity	Measurements (mm)	Material	Packaging	Pallet units
MP-0603-I	3 L.	255 x Ø 170	Bright 304 stainless steel	1	126
MP-0603-S	3 L.	255 x Ø 170	Satin 304 stainless steel	1	126
MP-0605-I	5 L.	270 x Ø 200	Bright 304 stainless steel	4	96
MP-0605-S	5 L.	270 x Ø 200	Satin 304 stainless steel	4	96
MP-0612-I	12 L.	390 x Ø 250	Bright 304 stainless steel	2	48
MP-0612-S	12 L.	390 x Ø 250	Satin 304 stainless steel	2	48

PAPELERA CON PEDAL MP-0625-B-L / MP-0650-B-L

25 and/or 50 L capacity polypropylene bin with pedal for opening the lid. Especially suitable for high transit areas such as offices, toilets, etc.





Reference	Capacity	Measurements (mm) H x W x D	Material	Packaging	Pallet units
MP-0625-B-L	25 L.	410 x 350 x 250	Polypropylene	4	80
MP-0650-B-L	50 L.	440 x 400 x 390	Polypropylene	2	24

MB-0101-S / MB-0102-S / MB-0103-S

Hinged handrail with vertical rotation, made from **AISI 304 stainless steel**, with a toilet paper holder, for wall mounting next to the toilet. Specifically for toilets adapted for the elderly or people with reduced mobility. Maximum durability and resistance to oxidation.

We also have a hinged handrail with vertical rotation and fixed column for floor installation next to the toilet.







Reference	Measurement	Measurements (mm) H x W x D	Material	Anchoring system	Packaging	Pallet units
MB-0101-S	Ø 32 mm	192 x 100 x 600	AISI 304 stainless steel	Wall	5	60
MB-0102-S	Ø 32 mm	192 x 100 x 776	AISI 304 stainless steel	Wall	5	60
MB-0103-S	Ø 32 mm	850 x 150 x 805	AISI 304 stainless steel	Column - ground	5	30

HANDRAILS —

ACCESSORIES

MB-0230-S / MB-0240-S / MB-0250-S MB-0600-I / MB-0601-I / MB-0602-I / MB-0603-I

Fixed handrail, made from **AISI 304 stainless steel**. Wall mounted, vertical or horizontal position. Specifically for toilets adapted for the elderly or people with reduced mobility. Maximum durability and resistance to oxidation.

Fixed bar handle, made from **AISI 304 stainless steel**. Wall mounted, vertical or horizontal position. Use in hotels, sports centres, health centres, etc. Maximum durability and resistance to oxidation.







MB-0240-S





MB-0250-S





Reference	Measurements (mm)	Material	Packaging	Pallet units
MB-0230-S	300 x Ø 32	Satin AISI 304 stainless steel	20	960
MB-0240-S	400 x Ø 32	Satin AISI 304 stainless steel	20	720
MB-0250-S	500 x Ø 32	Satin AISI 304 stainless steel	20	560
MB-0600-I	450 x Ø 20	Bright AISI 304 stainless steel	10	360
MB-0601-I	300 x Ø 20	Bright AISI 304 stainless steel	10	600
MB-0602-I	450 x Ø 25	Bright AISI 304 stainless steel	10	360
MB-0603-I	Ø 25	Bright AISI 304 stainless steel	12	252

MB-0300-RS / MB-0300-LS / MB-0400-S

90° "L" shaped handrail, made from **AISI 304 stainless steel**. Wall mounted, vertical position. Right or left side. For use in hotels, sports centres, health centres, etc. Maximum durability and resistance to oxidation.

Handrail, made from **AISI 304 stainless steel**. Wall or floor installation, vertical position. Maximum durability and resistance to oxidation.







Reference	Measurement	Measurements (mm) H x W x D	Material	Anchoring system	Packaging	Pallet units
MB-0300-RS	Ø 32 mm	737 x 638 x 76	AISI 304 stainless steel	Wall	12	48
MB-300-LS	Ø 32 mm	737 x 638 x 76	AISI 304 stainless steel	Wall	12	48
MB-0400-S	Ø 32 mm	868 x 762	AISI 304 stainless steel	Wall - ground	6	84



D Polígono Industrial Sur Santiago Payá C/ Filà Domingo Miques, 4 03801, Alcoy (Alicante) Apartado de Correos 350 **SPAIN**

T (+34) 966 540 710 **E** export@losdi.com

W losdi.com

